

RECEIVED
CENTRAL FAX CENTER

OCT 26 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEST AVAILABLE COPY

In re application of: Biggie et al. : Date: October 26, 2004
Attorney Reference Number: P03048802 : Serial number: 10/604,068
Filed: June 25, 2003 : Confirmation Number: 1067
Title: APPARATUS AND METHOD FOR : Group Art Unit: 3673
EXACT CONTROL OF CROSS :
OVER PRESSURES, INCLUDING : Examiner: Fredrick C. Conley
HIGH AND LOW PRESSURES, BY :
DYNAMICALLY VARYING THE : Applicants' Attorney:
COMPRESSOR PUMP OUTPUT IN : John C. Smith
ALTERNATING PRESSURE : 4800 North Federal Highway, Suite A-207
SUPPORT SURFACES : Boca Raton, Florida 33431
: Telephone number: (561) 394-4666

AMENDMENT

The Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

Dear Sir:

INTRODUCTORY COMMENTS

This amendment is in response to the office action dated June 9, 2004. In addition, a separate petition and fee for a two month extension of time is attached. Pursuant to 37 C.F.R. 1.7, this paper is timely filed. Please amend the application as follows:

10/27/2004 AMONDAF1 00000154 10604068

02 FC:2201

88.00 OP

Serial number: 10/604,068

Page 1 of 12

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.